

Using the Contributed Libraries in ADMB

Steven Martell

University of [British Columbia]

s.martell@mail.ubc.ca

March 15, 2012

What are libraries?

Contributed libraries are a series of custom functions written by contributors to the ADMB project.

E.g., code for a normal negative log likelihood

```
0.5*log(2.*PI)+log(std)+0.5*square(x-mu)/(std*std);
```

What are libraries?

ADMB
Contributed
Libraries

Steven Martell

Introduction

Simple example

Libraries

Contributed libraries are a series of custom functions written by contributors to the ADMB project.

E.g., code for a normal negative log likelihood

```
0.5*log(2.*PI)+log(std)+0.5*square(x-mu)/(std*std);
```

Could be replaced with

What are libraries?

Contributed libraries are a series of custom functions written by contributors to the ADMB project.

E.g., code for a normal negative log likelihood

```
0.5*log(2.*PI)+log(std)+0.5*square(x-mu)/(std*std);
```

Could be replaced with

```
dnorm(x,mu,std);
```

How to use the contributed libraries

ADMB
Contributed
Libraries

Steven Martell

Introduction

Simple example

Libraries

With version 10.2, you can now include the custom libraries in the GLOBALS_SECTION

To this you simply use:

```
GLOBALS_SECTION  
  #include <library_name>
```

Example using simple.tpl

This ...

```
PROCEDURE_SECTION
```

```
  pred_Y=a*x+b;  
  f=(norm2(pred_Y-Y));  
  f=nobs/2.*log(f);
```

is the same as:

```
PROCEDURE_SECTION
```

```
  pred_Y=a*x+b;  
  f=dnorm(pred_Y-Y);  
GLOBALS_SECTION  
  #include <statsLib.h>
```

Contributed Libraries

To date the contributed libraries are:

- statsLib
- ecolib
- qfclib

To learn more about these libraries see the ADMB documentation use

<http://admb-project.org/documentation/api/>

A detailed list of function prototypes and documentation for each library can be found at the above link. For example the statsLib contribution can be found at:

http://admb-project.org/documentation/api/statsLib_8h.html

Introduction

Simple example

Libraries

The End